

Circulation Research

AUTHOR INDEX

VOLUME XIX

JULY-DECEMBER, 1966

- Abildskov, J. A., 481
 Alexander, J. A., 721
 Alexander, N., 18
 Ankeney, J. L., 514
 Apter, J. T., 104
 Attinger, E. O., 230
- Barber, M. R., 584
 Bargainer, J. D., 467
 Barger, A. C., 1, 167
 Barr, R. C., 489
 Bartle, S. H., 11, 295
 Bassingthwaighe, J. B., 332, 879
 Beiser, G. D., 400
 Bender, F., 33
 Bergel, D. H., 467
 Berger, M., 1086
 Berne, R. M., 420
 Bihler, I., 891
 Black, W. L., 71
 Bohr, D. F., 593
 Boineau, J. P., 489
 Botti, R. E., 514
 Bowen, W. J., 496
 Brandstater, B., 274
 Braunwald, E., 26, 51, 221,
 317, 326, 364, 400, 980,
 1097
 Brecher, G. A., 1080
 Buccino, R. A., 1097
 Bumpus, F. M., 247
 Bunag, R. D., 851
 Burton, A. C., 755
- Carriere, S., 167
 Cestero, J., 1086
 Chidsey, C. A., 51, 221, 317, 326
 Chiodi, H., 274
 Clarke, G. B., 564
 Cline, R. E., 960
 Cline, W. H., Jr., 571
 Cohen, B. R., 1062
 Cohn, L. J., 1086
 Comroe, J. H., Jr., 3
 Cook, W. F., 260, 269
 Cooper, T., 153, 317, 326, 1097
 Corliss, R. J., 520
 Coulam, C. M., 879
 Covell, J. W., 51, 221, 364, 980
 Crumpton, C. W., 520
 Cummings, D. H., 104
- Dahl, L. K., 750
- Day, A. J., 122, 132
 Dayton, S., 1041
 DeCuir, M., 18
 Donald, D. E., 33
 Downing, S. E., 947
 Dresel, P. E., 891
 Duffy, J. P., 255
 du Mesnil de Rochemont, W., 57
- Edmands, R. E., 373, 602
 Eger, E. I., II, 274
 Eich, R. H., 481
 Eichelberger, L., 662
 Epstein, S. E., 26, 400
- Faber, J. J., 816
 Fanburg, B. L., 805
 Feigenbaum, A. S., 80, 89
 Ferguson, D. J., 917
 Fisch, C., 373, 602
 Fischer, G. M., 394
 Fischmann, E. J., 584
 Fishman, A. P., 834
 Fleming, W. H., 63
 Forward, S. A., 970
 Freeman, L., 358
 Fry, D. L., 1011
 Fung, Y. C., 441
- Gabel, L. P., 891
 Gaman, E., 80, 89
 Gamble, W. J., 774
 Gardner, T. H., 947
 Geha, A. S., 255
 Gerst, P. H., 63
 Gillman, R. G., 755
 Gipson, E. C., 739
 Goldblatt, H., 739
 Goodwin, J. W., 191
 Greenburg, A. G., 662
 Greenspan, K., 373, 602
 Grimm, A. F., 552
 Guntheroth, W. G., 42
 Guyton, A. C., 412, 1022
 Guz, A., 139, 148, 206
- Haas, E., 739
 Hamby, R. I., 1086
 Hammond, R. P., 774
 Handa, J., 726
 Hanson, K. M., 766
 Haring, O. M., 544
 Harman, M. A., 632
- Hart, F. M., 816
 Hashimoto, S., 1041
 Hedayati, H., 584
 Hellem, H. K., 307
 Hirsch, L. J., 1031
 Høedt-Rasmussen, K., 681
 Hornbein, T. F., 274
 Horres, A. D., 1080
- Intaglietta, M., 199, 441
 Irisawa, H., 96
 Itskovitz, H. D., 507
- James, T. N., 347
 Jequier, E., 1050
 Johansson, B., 593
 Johnson, P., 564
 Johnson, P. C., 766
- Kahler, R. L., 26
 Kaneko, Y., 673
 Kassebaum, D. G., 940
 Kato, M., 426
 Katori, M., 420
 Katz, A. M., 611, 1062
 Katz, L. N., 564, 1031
 Kenner, H. M., 1071
 Khairallah, P. A., 247, 538
 Kitchin, A. H., 33
 Kline, H. J., 1086
 Knudsen, K. D., 750
 Kok-Ewe, C., 514
 Kolder, H., 1080
 Korb, G., 57
 Kritcher, E. M., 283
 Krug, A., 57
 Kubota, R., 552
 Kuhn, L. A., 1086
- LaFarge, C. G., 774
 Landahl, H. D., 917
 Lassen, N. A., 681
 Lax, L. C., 750
 Leahy, V. W., 1
 Lee, M. R., 260, 269
 Lehan, P. H., 307, 632
 Levine, H. L., 970
 Levitt, B., 622
 Levy, M. N., 5, 650, 930
 Lewis, L., 739
 Lipana, J. G., 970
 Llaurado, J. G., 394
 Lluch, S., 1031

- Lorković, H., 711
 Lovenberg, W., 1050
 Lowe, T. E., 528
 Luchi, R. J., 283
- McCubbin, J. W., 851
 McGehee, J., 1022
 McInnes, I. E., 528
 McIntyre, K. M., 970
 McKenna, D. H., 520
 McKenzie, J. K., 260, 269
- Mahon, W. A., 191
 Malm, J. R., 63
 Marano, A. J., 1086
 Markov, A., 632
 Marsten, J. L., 514
 Martin, P., 5
 Martin, R., 230
 Mattingly, P., 496
 Mendez, C., 378, 993
 Meyer, J. S., 726
 Mignone, R. J., 638
 Millar, K., 481
 Miller, L. D., 507
 Milnor, W. R., 467
 Moe, G. K., 378, 993
 Moir, T. W., 695
 Monroe, R. G., 774
 Morales, M., 496
 Morgan, C. L., 774
 Morkin, E., 834
 Morrison, L. M., 358
 Moschos, C. B., 307
 Moulder, P. V., 662
 Murata, K., 358
 Murphree, D., 412
- Nakajima, K., 673
 Navarro, A., 230
 Nayler, W. G., 528
 Newman, H. A. I., 122, 132
 Ng, M. L., 5, 650, 930
 Ninomiya, I., 96, 576
 Noble, M. I. M., 139, 148, 203
- Odland, G. F., 700
 Oldewurtel, H. A., 307, 632
 O'Morchoe, C. C. C., 167
- Ormsby, J. W., 700
- Page, I. H., 247, 538, 851
 Pappenheimer, J. R., 1
 Parker, F., 700
 Patel, D. J., 1011
 Patterson, J. L., Jr., 903
 Paul, W. M., 191
 Peach, M. J., 571
 Peiss, C. N., 153
 Peterson, N. F., 700
 Pick, R., 564
 Pilkington, T. C., 489
 Pool, P. E., 221
 Posner, B. I., 805
 Prather, J., 1022
- Quilligan, J. J., Jr., 358
- Rabinowitz, M., 104
 Race, D., 528
 Rahmoeller, G. A., 689
 Rams, J. J., 662
 Randall, W. C., 153
 Regan, T. J., 307, 632
 Repke, D. I., 611, 1062
 Riccetto, A., 230
 Roberts, J., 622
 Robinson, B. F., 26, 400
 Rolett, E. L., 71
 Rosati, R. A., 721
 Rosenbaum, M., 528
 Ross, J., Jr., 364, 980
 Rowe, G. G., 520
 Rubin, B. B., 611
- Sakamota, K., 726
 Sanmarco, M. E., 11, 295
 Schackow, E., 750
 Scheel, K., 412, 1022
 Schenk, E. A., 80, 89
 Schjeide, O. A., 358
 Schuder, J. C., 689
 Sealy, W. C., 721, 960
 Severinghaus, J. W., 274
 Seyama, I., 96
 Shapiro, W., 903
 Sialer, S., 520
 Sjoerdsma, A., 1050
- Skalak, R., 834
 Snyder, J. H., 33
 Sobel, B., 1050
 Sonnenblick, E. H., 317, 326, 364, 980, 1097
 Solis, R. T., 947
 Spach, M. S., 489
 Spann, J. F., Jr., 317, 326
 Staub, N. C., 426
 Stegall, H. F., 180
 Stoeckle, H., 689
 Stowring, L., 496
 Sugawara, H., 230
 Swan, H. J. C., 255
- Taccardi, B., 865
 Tafur, E., 42
 Takeda, T., 673
 ten Hoopen, M., 911
 Thorburn, G. D., 167
 Trenchard, D., 139, 148, 200
 Troyer, W. G., Jr., 960
 Türker, R. K., 247, 538
- Ueda, H., 673
- Van Dyke, A. R., 940
- Wallace, A. G., 638, 721, 960
 Warner, H. R., 879
 Wasserman, A. J., 903
 Watts, D. T., 571
 Weinrauch, H., 1086
 Whitehorn, W. V., 552
 Wiedeman, M. P., 559
 Wiener, F., 834
 Williams, R. H., 700
 Willman, V. L., 153, 317, 326
 Wood, E. H., 33, 879, 1071
- Yellin, E. L., 791
 Yoshida, K., 726
 Young, C. R., 750
- Young, W. G., Jr., 721, 960
 Zarnstorff, W. C., 520
 Zieske, H., 5, 650, 930
 Zilversmit, D. B., 122, 132
 Zitnik, R. S., 33
 Zweifach, B. W., 199, 441

Circulation Research

SUBJECT INDEX

VOLUME XIX

JULY-DECEMBER, 1966

A

Acetylcholine

- adrenergic neurotransmission and chronotropic action of in the sinus node, 347
- direct positive inotropic effect on myocardium, 1097
- and vena caval pressure, flow, and diameter during fright and exercise, 42

Acetylthioflavin, ventricular arrhythmia induced by, effect of quinidine and pronethalol, 622

Acidosis, metabolic and respiratory, effects on heart's susceptibility to ventricular fibrillation, 63

Acridine orange, intravital staining for determination of myocardial blood supply after temporary coronary occlusion, 57

Actin, myosin activation by, compared with ATPase activity, 611

Action potentials

- atrial, and repolarization phase of right atrium, 96
- change and cycle length in the ventricle, 602
- duration and refractory phase during premature beats, 993
- monophasic
 - and atrial repolarization phase, 96
 - and vagal effects in atrium, 576
- Purkinje fibers, electrophysiological effects of isoproterenol, 940

Actomyosin. *See also* Myosin

- control of activity by Ca^{2+} , Na^+ , and K^+ , 1062
- myocardial levels, 552

Adenosine, release from anoxic hearts, relation to coronary flow, 420

Adenosine triphosphate

- myocardial stores during hypoxic heart failure, 221
- and superprecipitation of myosin B by ouabain and digoxin, 496
- vasodilatation by in plasma indicator dispersion in human leg, 332

Adenosinetriphosphatase

- activity of cardiac and skeletal actomyosin, 1062
- cardiac and skeletal myosin activity compared, 283, 611

Adrenal medulla, release of catecholamines by angiotensin II, 571

Adrenergic blockade

- and dopamine-induced alterations in left ventricular performance, 71
- effect of blocking agents on oxidative phosphorylation in rat heart mitochondria, 1050
- effects on peripheral constrictor action of kinecard, 528
- extra-adrenergic effects of pronethalol, 721
- failure to alter ventricular fibrillation threshold, 721

Adrenergic nervous system

- β -blockade and dopamine-induced alterations in left ventricular performance, 71
- neurotransmission and hemicholinium and acetylcholine in the sinus node, 347
- and norepinephrine depletion in congestive heart failure, 51

Alkalosis, metabolic and respiratory, effects on heart's susceptibility to ventricular fibrillation, 63

American Heart Association program, and animal legislation (Public Law 89-544), 1110

Ammonium ion, effects on renal angiotensinase activity, 507

Angiocardiography, biplane, left ventricular volume measurements, 11, 295

Angiotensin

- and baroreflex bradycardia in renal hypertension, 18
- and pressor response to tyramine, 673
- production in angiotensinase-free human renin, 739
- release of adrenal catecholamines by, 571
- tachyphylaxis and its reversal, 247
- vascular contractile responses to potentiated by metanephrine, 538
- and vascular smooth muscle contraction, 593

Angiotensinase

- extraction, purification, and assay of human renin free of, 739
- renal activity; localization and effects of mercury, 507
- reversal of angiotensin tachyphylaxis by angiotensinase A, 247

Animal legislation, and the American Heart Association program, Public Law 89-544, 1110

Anoxia

- adenosine release from anoxic hearts, relation to coronary flow, 420
- and myocardial high-energy phosphate stores during hypoxic heart failure, 221

Antithrombotic effect, of Malayan pit viper venom on thrombosis in inferior vena cava, 514

Aorta

- aortic nerves and reflex bradycardia in renal hypertension, 18
- ascending, acceleration of blood flow as index of myocardial contractility, 139
- atheroma
 - phospholipid synthesis in, 122, 132
 - spontaneous aortic lesions in rabbits, 80, 89
- atherosclerosis
 - phospholipid synthesis in, 122, 132, 700
 - prevention by chondroitin sulfate A in subhuman primates, 358
 - spontaneous lesions in rabbits, 80, 89
- baroreceptor stimulation of aortic arch; cardiac and respiratory effects, 930
- coarctation, Skodaic theory, effects of raised O_2 tension, 755
- collagen, elastin, and muscle determinations in media of, 104
- effects of longitudinal vascular tethering, 1011
- flow acceleration with changes in heart rate, 206
- neonatal, constriction by raised oxygen tension, 755
- spontaneous lesions in rabbits, 80, 89

Arachidonic acid, plasma, effects of estrogen dosage, 564

Arrhythmias. *See also* Fibrillation

- antiarrhythmic agents, 622
- fibrillation thresholds, 721

- heart's susceptibility to ventricular fibrillation during metabolic acidosis, 63
 - pressure, in gas-perfused cat hearts, 891
 - quinidine effects, 622, 960
 - retarded excitation in ventricular response to atrial fibrillation, 911
 - ventricular
 - acetylcholinesterase-induced, effects of quinidine and pronethalol, 622
 - defibrillation with triangular and trapezoidal waveforms, 689
 - Arterial wall**
 - cholesterol movement across, 1041
 - circumferential tension in, 104
 - Arteries**
 - arterioles, contractile activity in bat wing during intraluminal pressure changes, 559
 - atherosclerosis
 - phospholipid synthesis in, 122, 132, 700
 - prevention by chondroitin sulfate A in subhuman primates, 358
 - spontaneous lesions in rabbits, 80, 89
 - blood flow; plasma indicator dispersion in the human leg, 332
 - carotid
 - blood flow during acute hypertension, 726
 - occlusion; neural stimulation of renin release, 851
 - cholesterol movement across arterial wall, 1041
 - circumferential tension in wall, 104
 - collagen content, 394
 - coronary
 - blood supply of myocardium after temporary occlusion, 57
 - flow measurements during obstruction, 632
 - elastin content, 394
 - femoral, effects of longitudinal vascular tethering, 1011
 - human leg, plasma indicator dispersion in, 332
 - large, correlation of viscoelastic properties with microscopic structure, 104
 - longitudinal tethering in dogs, 1011
 - mathematical model, 104
 - muscular contraction in, 104
 - pressure-flow relations in, 230
 - pulmonary
 - collagen, elastin, and muscle determinations, 104
 - response to unilobar hypoxia and hypercapnia, 426
 - tethering, 1011
 - transfer function, 332
 - vertebral, blood flow during acute hypertension, 726
 - Arterioles**, contractile activity in the bat wing during intraluminal pressure changes, 559
 - Asphyxia**, prenatal, cardiac malformations induced by, 544
 - Assay**
 - of human renin free of angiotensinase, 739
 - of plasma renin activity, sensitive method for, 260
 - renal angiotensinase, 507
 - Atheroma**
 - phospholipid synthesis in, 122, 132
 - spontaneous, in rabbits, 80, 89
 - Atherosclerosis**
 - phospholipid synthesis in, 122, 132, 700
 - prevention by chondroitin sulfate A in subhuman primates, 358
 - spontaneous aortic lesions in rabbits, 80, 89
 - ATPase**. *See* Adenosinetriphosphatase
 - Atrial fibrillation**, ventricular response in, retarded excitation, 911
 - Atrioventricular node**
 - A-V transmission, ventricular responses to atrial fibrillation, 911
 - complete A-V block due to potassium, 373
 - conduction
 - delay, and stroke volume in heart block, 33
 - dissociation of conduction and reentry within, 638
 - dual conduction system, 378, 638
 - effects of atrial impulses, 911
 - transmembrane potentials of cells during premature beats, 993
 - Atrium**
 - contribution in heart block, 33
 - depolarization, body surface distribution of equipotential lines during, 865
 - echoes, in dual A-V nodal conduction system, 378
 - fibrillation, ventricular response in, retarded excitation, 911
 - nonuniform distribution of vagal effects, 576
 - right, repolarization phase in, 96
 - role in ventricular echoes, 638
 - Atropine**
 - actions in the sinus node, 347
 - and positive inotropic effects of acetylcholine, 1097
 - Automaticity**, Purkinje fibers, electrophysiological effects of isoproterenol, 940
 - Autonomic nervous system**
 - baroreceptor stimulation of the aortic arch, 930
 - control of heart rate in man by, 400
 - influences on cardiac reflexes in the newborn lamb, 947
 - Autoradiography**, and Kr^{85} in determination of intrarenal blood flow during hemorrhagic hypotension, 167
 - Autoregulation**
 - of cerebral blood flow during acute hypertension, 726
 - of contractile activity in terminal arterioles, 559
 - Autotransplantation**, cardiac, circulatory responses after, 153
- B**
- Baroreceptors**
 - cardiac sympathetic tone and, 650
 - and heart rate
 - interrelation with exercise in autonomic control of, 400
 - loss of baroreflex bradycardia in renal hypertension, 18
 - stimulation of aortic arch, cardiac and respiratory effects, 930
 - Bile acids**, levels affected by estrogen dosage, 564
 - Bioassay**, of renal angiotensinase, localization and activity, 507
 - Biplane angiocardiology**, left ventricular volume measurements by, 11, 295
 - Block**
 - atrioventricular, due to potassium, 373
 - conduction, transmembrane potentials and premature beats, 993
 - heart, atrial contribution in, 33
 - Blockade**
 - adrenergic
 - and dopamine-induced alterations in left ventricular performance, 71
 - effect of blocking agents on oxidative phosphorylation in rat heart mitochondria, 1050
 - effects on peripheral constrictor action of kinin, 528
 - extra-adrenergic effects of pronethalol, 721

- failure to alter ventricular fibrillation threshold, 721
- autonomic, in control of heart rate in man, 400
- ganglionic
- influences on ventricular function in the newborn lamb, 947
 - renin release during hemorrhage, 851
- propranolol-induced, hemodynamic effects, 520
- sympathetic and parasympathetic, effects of baroreceptor stimulation of the aortic arch, 930
- Blood**
- muscle pumping in the dependent leg, 180
- plasma
- cholesterol levels affected by estrogen dosage, 564
 - contraction of vascular smooth muscle in response to, 593
 - fatty acids, effects of estrogen dosage, 564
 - indicator dispersion in arteries of the human leg, 332
 - lipoprotein, movement of cholesterol into arterial wall, 1041
 - renin activity, 260, 269
 - reversal of angiotensin tachyphylaxis by fractions of, 247
 - supply of myocardium after temporary coronary occlusion, 57
- Blood-brain barrier**, fluid transport across at high altitude, 274
- Blood flow**
- arterial, plasma indicator dispersion in the human leg, 332
 - autoregulation
 - of cerebral flow during acute hypertension, 726
 - of contractile activity in terminal arterioles, 559
 - capillary filtration in small intestine of the dog, 766
 - cerebral
 - autoregulation during acute hypertension, 726
 - and cerebrospinal fluid pH in man at high altitude, 274
 - measured by inert-gas techniques, 681
 - responses to combined hypoxia and hypercapnia, 903
 - and changes in heart rate, 206
 - conductance measurements by magnetic meters, 917
 - coronary
 - counterpulsation effects, 1031
 - measurement in the presence of arterial obstruction, 632
 - measurement by rotameter and Rb⁸⁶ clearance, 695
 - propranolol effects, 520
 - relation to adenosine release from anoxic hearts, 420
 - transfer function analysis by indicator dilution, 879
 - intrarenal distribution during hemorrhagic hypotension, 167
 - maximum acceleration of blood from left ventricle, 139
 - measurements
 - by electromagnetic flowmeter during acute hypertension, 726
 - by inert-gas techniques, 681
 - intrarenal, by Kr⁸⁵ during hemorrhagic hypotension, 167
 - by magnetic meters, 917
 - in the presence of arterial obstruction, 632
 - by rotameter and Rb⁸⁶ clearance, 695
 - transfer function analysis by indicator dilution, 879
 - muscle pumping in the dependent leg, 180
 - pressure-flow relations in the arteries, 230
 - pulmonary
 - hydraulic power, heart rate, and, 467
 - responses of small arteries to unilobar hypoxia and hypercapnia, 426
 - wave propagation, 834
 - pulsatile
 - laminar-turbulent transition process in, 791
 - wave propagation in the pulmonary circulation, 834
 - renal
 - intrarenal distribution during hemorrhagic hypotension, 167
 - neural stimulation of renin release, 851
 - transfer function analysis by indicator dilution, 879
 - in superior vena cava during fright and exercise, 42
- Blood pressure**
- arterial pressure-flow relations, 230
 - capillary, indirect method for measurement of, 199
 - and changes in heart rate, 206
 - hypertension
 - acute, autoregulation of cerebral blood flow during, 726
 - angiotensin effect on pressor response to tyramine in, 673
 - biological half-life of Na²² in, 750
 - diagnosis by response to tyramine, 673
 - renal; loss of baroreflex bradycardia in, 18
 - hypotension
 - cephalic, reflex effects in the newborn lamb, 947
 - hemorrhagic, intrarenal distribution of blood flow during, 167
 - superior vena cava, during fright and exercise, 42
 - venous, and muscle pumping in the dependent leg, 180
 - wave propagation in the pulmonary circulation, 834
- Blood vessels**
- capillaries
 - elastic environment of the capillary bed, 441
 - filtration in small intestine of the dog, 766
 - interstitial fluid pressure effects on movement of fluid through walls, 1022
 - pressure in, indirect measurement of, 199
 - precapillary, contractile activity during changes in intraluminal pressure, 559
- Blood volume**, circulatory effects of acute expansion of during maximal exercise and at rest, 26
- Body surface potential**, and ventricular excitation in the dog, 489
- Books received**, 859
- Bradycardia**, baroreflex, loss in renal hypertensive rabbits, 18
- Bradykinin**, and vascular smooth muscle contraction, 593
- Brain**. *See* Cerebral circulation

C

- Calcification**, in spontaneous aortic lesions in rabbits, 80, 89
- Calcium gluconate**, and left ventricular stroke volume, 148
- Calcium ion**, control of cardiac actomyosin activity by, 1062
- Capillaries**
- contractile activity of precapillary vessels during changes in intraluminal pressure, 559
 - elastic environment of the capillary bed, 441

- filtration in the small intestine of the dog, 766
 interstitial fluid pressure effects on movement of fluid through walls of, 1022
 pressure in, indirect method for measurement of, 199
- Carbohydrates**, myocardial metabolism during response to epinephrine, 307
- Cardiac cycle**, vena caval pressure, flow, and diameter during phases of, 42
- Cardiac denervation**
 circulatory responses after, 153
 electrophysiological effects of quinidine, with and without, 960
- Cardiac failure**. *See* Heart failure
- Cardiac malformations**, induced by prenatal hypoxia, hypercapnia, and asphyxia, 544
- Cardiac myosin**. *See* Myosin
- Cardiac output**
 and changing heart rate, 206
 maximal, during exercise, effects of acute blood volume expansion, 26
 propranolol effects, 520
 in superior vena cava during fright and exercise, 42
 in ventricle of the fetal lamb, by dye-dilution technique, 191
- Cardiovascular mixing**, transfer function analysis of coronary and renal circulation by indicator dilution, 879
- Carotid artery**
 blood flow during acute hypertension, 726
 occlusion, neural stimulation of renin release, 851
- Carotid sinus**
 and reflex bradycardia in renal hypertension, 18
 reflex control of ventricular performance, 5
 reflexes in the newborn lamb, 947
- Catecholamines**. *See also* Epinephrine, Isoproterenol, and Norepinephrine
 adrenal, release by angiotensin II, 571
 content in the heart and cardiac responses after cardiac denervation, 153
 dopamine-induced alterations in left ventricular performance, 71
 effect on oxidative phosphorylation in rat heart mitochondria, 1050
 lack of effect in angiotensin tachyphylaxis, 247
 and vascular smooth muscle contraction, 593
 and vena caval pressure, flow, and diameter during fright and exercise, 42
- Cation exchange resin**, reversal of angiotensin tachyphylaxis by, 247
- Cells**
 A-V nodal, transmembrane potentials of during premature beats, 993
 foam, isolated from atherosclerotic lesions; lipid composition and phospholipid synthesis of, 122
 myo-intimal, possible role in phospholipid synthesis in atherosclerosis, 700
- Cerebral circulation**
 autoregulation during acute hypertension, 726
 blood flow in man at high altitude, 274
 blood flow measured by inert-gas techniques, 681
 cerebrovascular responses to combined hypoxia and hypercapnia, 903
- Cerebrospinal fluid**, pH, role in normalization of blood flow in chronic hypocapnia at high altitude, 274
- Chest maps**, electrical activity of the heart, 865
- Cholesterol**
 distribution in foam cells isolated from rabbit atherosclerotic lesions, 122
 effects of estrogen dosage, 564
 labeled, movement across arterial wall, 1041
 in phospholipid synthesis in normal and atherosclerotic rabbit aortas, 132
- Choline- C^{14}** , in phospholipid synthesis in normal and atherosclerotic rabbit aortas, 132
- Cholinergic receptors**, in the heart, 1097
- Chondroitin sulfate A**, prevention of atherosclerosis in subhuman primates by, 358
- Chronotropic action**
 acetylcholine, hemicholinium, and eserine in the sinus node, 347
 of isoproterenol in Purkinje fibers, 940
 response to sympathetic nerve stimulation in congestive heart failure, 51
- Circulation times**, ventricular output in the fetal lamb, 191
- Circus movement**, intranodal, in dual A-V nodal conduction system, 378
- Coarctation of the aorta**, Skoda theory, effects of raised oxygen tension, 755
- Cold pressor test**, effects of angiotensin on response to, 673
- Collagen**
 amounts in pulmonary artery and aorta, 104
 content in canine arteries, 394
- Conductance**, electrical resistance and flow calibrations by magnetic meters, 917
- Conduction**
 activation order and intraventricular pressures during premature beats, 481
 atrioventricular
 block; transmembrane potentials and premature beats, 993
 complete A-V block due to potassium, 373
 delay and stroke volume in heart block, 33
 dissociation of conduction and reentry within A-V node, 638
 dual conduction system, 378, 638
 effects of atrial impulses, 911
 intraventricular, quinidine effects, 960
 in Purkinje fibers, electrophysiological effects of isoproterenol, 940
- Congestive heart failure**
 norepinephrine depletion and sympathetic nerve stimulation in, 51
 pathogenesis of, and active stiffness of the canine left ventricle, 970
- Connective tissue**, and collagen and elastin contents in arteries, 394
- Constriction**. *See also* Vasoconstriction
 aortic; coarctation and raised oxygen tension, 755
- Contractile proteins**
 cardiac and skeletal muscle myosin ATPase activity compared, 283, 611
 Ca^{2+} , Na^{+} , and K^{+} control of activity of cardiac actomyosin, 1062
- Contractility**
 of arterioles during intraluminal pressure changes, 559
 atrial, in heart block, 33
 cardiac glycosides and, 496
 of gas-perfused cat hearts, 891
 influence of pH changes on mechanical and electrical activity of cardiac muscle, 711
 of the intact heart, force-velocity relation and ventricular function curve as measures of, 364
 length-tension relations and contractile force in cardiac muscle, 980
 myocardial
 and cardiac norepinephrine stores, 317
 dopamine effects, 71
 effects of baroreceptor stimulation of the aortic arch, 930

- effects of contractile proteins, 1062
- and high-energy phosphate stores during hypoxic heart failure, 221
- and left ventricular ejection, 139
- and left ventricular stroke volume, 148
- and norepinephrine depletion in congestive heart failure, 51
- ventricular
 - in the newborn lamb, 947
 - sympathetic and vagal effects, 5
- Coronary artery**
 - flow measurements during obstruction, 632
 - occlusion
 - effects on maximum acceleration of blood flow from the left ventricle, 139
 - myocardial blood supply after, 57
- Coronary circulation**
 - blood flow measurement
 - in the presence of arterial obstruction, 632
 - by rotameter and Rb⁸⁶ clearance, 695
 - counterpulsation effects of blood flow, 1031
 - myocardial revival time after temporary occlusion, 57
 - propranolol effects, 520
 - relationship between coronary flow and adenosine release from anoxic hearts, 420
 - transfer function analysis by indicator-dilution curves, 879
- Corrections**, vols. 18 and 19, 1109
- Counterpulsation**, effects of coronary blood flow and cardiac oxygen utilization, 1031
- Creatine phosphate**, myocardial stores during hypoxic heart failure, 221

D

- Defibrillation**, ventricular, with triangular and trapezoidal waveforms, 689
- Denervation**
 - cardiac
 - circulatory responses after, 153
 - electrophysiological effects of quinidine, with and without, 960
- Deoxyribonucleic acid (DNA)**, myocardial levels, 552
- Digitalis**, influence of cardiac norepinephrine stores on heart muscle response to, 326
- Digoxin**, superprecipitation of myosin B by, 496
- Dilatation**. *See* Vasodilatation
- Dimensional analysis**, diffusional placental transfer, 816
- Distensibility**, force-tension relations of cardiac muscle, 980
- Dopamine**, alterations in left ventricular performance induced by, 71
- Dowex 50**, reversal of tachyphylaxis to angiotensin by, 247
- Dual conduction system**, in atrioventricular node, echoes, 378, 638
- Dye dilution**. *See also* Indicator dilution
 - ventricular output measurements in fetal lamb by, 191

E

- Echoes**
 - atrial, in dual conduction system in the A-V node, 378
 - ventricular
 - dissociation of conduction and reentry within the A-V node, 638

- in dual conduction system in the A-V node, 378, 638
- Editorial**: Eugene M. Landis—An Appreciation, 1
- Elastic equilibrium**, and ventricular volume of the nonbeating heart, 1080
- Elasticity**
 - active stiffness of the canine left ventricle, 970
 - of the capillary bed, 441
- Elastin**
 - amounts in the pulmonary artery and aorta, 104
 - content in canine arteries, 394
- Electrical activity**
 - of the heart, chest maps, 865
 - of heart muscle, influence of pH changes on, 711
- Electrical alternans**, and changes and cycle length of ventricular action potentials, 602
- Electrocardiogram**
 - aimed with simple bipolar leads, 584
 - body surface distribution of P, S-T, and T potentials, 865
 - body surface potential and ventricular excitation in the dog, 489
 - and complete atrioventricular block due to potassium ion, 373
 - configuration of P wave during vagal stimulation of atrium, 576
 - isopotential maps of body surface voltage, 489
 - repolarization phase of right atrium, 96
 - ventricular action potential change and cycle length, 602
 - ventricular response in atrial fibrillation, 911
- Electrolytes**, content in ventricular walls and inter-ventricular septum in normal hearts, 662
- Electrolytic tank model**, electrocardiographic leads studied in, 584
- Electromagnetic flowmeter**, measurements of cerebral blood flow during acute hypertension, 726
- Electronics**, magnetic meters and electrical resistance, 917
- Endothelium**, movement of cholesterol into arterial wall across intimal surface, 1041
- Energy content of shock**, in transthoracic ventricular defibrillation, 689
- Enzymatic activity**, in myosin, 611
- Ephedrine**
 - angiotensin effect on pressor response to, 673
 - potentiation of vascular myotropic responses by, 538
- Epinephrine**
 - effects on pressure, flow, and diameter of superior vena cava, 42
 - myocardial function and metabolism during biphasic inotropic response to, 307
 - release by angiotensin II, 571
- Eserine**, actions in the sinus node, 347
- Estrogen**, dosage effects on plasma, liver, and bile lipids, 564
- Excitation**
 - atrial, effects of vagal stimulation, 576
 - retarded; ventricular response in atrial fibrillation, 911
- Exercise**
 - maximal, circulatory effects of acute expansion of blood volume during, 26
 - muscle pumping in the dependent leg, 180
 - relation to baroreceptor mechanisms in autonomic nervous system control of heart rate in man, 400
 - simulated, systemic and coronary hemodynamic effects of propranolol, 520
 - vena caval pressure, flow, and diameter during, 42

Extracellular fluid

- in the brain, and cerebrospinal fluid pH at high altitude, 274
- mobile versus immobile, 412

F**Fatty acids**

- free, uptake in myocardium after prolonged epinephrine infusion, 307
- plasma, effects of estrogen dosage, 564

Femoral artery, effects of longitudinal vascular tethering, 1011**Fetal circulation**, ventricular output measured by dye-dilution techniques, 191**Fibrillation**

- atrial, ventricular response in, 911
- ventricular
 - defibrillation with triangular and trapezoidal waveforms, 689
 - failure of β -adrenergic blockade to alter threshold, 721
 - increased susceptibility of heart during metabolic acidosis, 63

Filtration, capillary, in small intestine of the dog, 766**Filtration-absorption balance**, in indirect measurement of capillary pressure, 199**Filtration coefficient**

- for fluid movement through the capillary wall, 1022
- in measurement of pressure in blood capillaries, 199

Flow. *See also* Blood flow

- pulsatile
 - laminar-turbulent transition process in, 791
 - wave propagation in the pulmonary circulation, 834

Flowmeter, electromagnetic, measurements of cerebral blood flow during acute hypertension, 726**Fluid**

- cerebrospinal, pH, role in normalization of blood flow at high altitude, 274
- extracellular
 - in the brain, and cerebrospinal fluid pH at high altitude, 274
 - mobile versus immobile, 412
- interstitial. *See* Interstitial fluid pressure
- movement through capillary wall, effects of interstitial fluid pressure, 1022
- transport across the blood-brain barrier at high altitude, 274

Foam cells, isolated from atherosclerotic lesions, lipid composition and phospholipid synthesis, 122**Force-velocity relations**

- active stiffness of the canine left ventricle, 970
- comparison with ventricular function curve as measures of heart contractility, 364
- norepinephrine stores and digitalis action, 326

Fourier analysis, on-line, arterial pressure-flow relations, 230**Fright**, and vena caval pressure, flow, and diameter, 42**G****Ganglionectomy**, thoracic, circulatory responses after, 153**Ganglionic blockade**

- influences on ventricular function in the newborn lamb, 947
- and renin release during hemorrhage, 851

Gas

- inert, techniques for measurement of cerebral blood flow, 681
- perfused cat hearts, 891

Gluconate, calcium, and left ventricular stroke volume, 148**Glutathione**, effects on renal angiotensinase activity, 507**Glycogen**, loss in gas-perfused cat hearts, 891**Glycosides**

- inotropic action of, 326
- myosin B superprecipitation stimulated by ouabain and digoxin, 496

H**Heart****action potentials**

- atrial, and repolarization phase of right atrium, 96
- change and cycle length in the ventricle, 602
- duration and refractory phase during premature beats, 993
- monophasic, 96, 576

arrhythmias

- antiarrhythmic agents, 622
- defibrillation with triangular and trapezoidal waveforms, 689
- fibrillation thresholds, 721
- in gas-perfused cat hearts, 891
- quinidine effects, 622, 960
- susceptibility to ventricular fibrillation during metabolic acidosis, 63

ventricular responses to atrial fibrillation, 911**block**, atrial contribution in, 33**blood flow acceleration in left ventricle**, 139**cholinergic receptors in**, 1097**conduction**. *See* Conduction**contractility**

- atrial, in heart block, 33
- cardiac glycosides and, 496
- and the contractile proteins, 1062
- dopamine effects, 71
- effects of baroreceptor stimulation of the aortic arch, 930
- of gas-perfused cat hearts, 891
- and high-energy phosphate stores during hypoxic heart failure, 221
- influence of pH changes, 711
- and left ventricular ejection, 139
- left ventricular function and, 364
- and left ventricular stroke volume, 148
- in the newborn lamb, 947
- norepinephrine stores and, 317
- norepinephrine depletion in congestive failure, 51
- sympathetic and vagal effects on left ventricle, 5

counterpulsation effects of coronary blood flow and oxygen utilization, 1031**defibrillation with triangular and trapezoidal waveforms**, 689**denervation**

- circulatory responses after, 153
- quinidine effects, 960

effects of baroreceptor stimulation of the aortic arch, 930**electrical activity**, chest maps, 865**electrocardiogram**

- aimed with simple bipolar leads, 564
- body surface distribution of P, S-T, and T potentials, 865
- body surface potential and ventricular excitation, 489

- and complete A-V block due to potassium ion, 373
- configuration of P wave during vagal stimulation of atrium, 576
- isopotential maps of body surface voltage, 489
- repolarization phase of right atrium, 96
- ventricular action potential change and cycle length, 602
- ventricular response in atrial fibrillation, 911
- failure**
 - and active stiffness of the canine left ventricle, 970
 - congestive, 51, 970
 - hypoxic, myocardial high-energy phosphate stores in, 221
 - and norepinephrine depletion and sympathetic stimulation, 51
 - pressures during, 1071
- fibrillation**
 - defibrillation with triangular and trapezoidal waveforms, 689
 - failure of β -adrenergic blockade to alter threshold, 721
 - increased susceptibility to during metabolic acidosis, 63
- gas-perfused, 891
- malformations induced by prenatal hypoxia, 544
- metabolic acidosis, increased susceptibility to ventricular fibrillation during, 63
- muscle.** *See also* Myocardium and Ventricle
 - extraction of nucleic acid, 805
 - influence of pH changes on activity of, 711
 - mechanics and contractility of, 364
 - norepinephrine stores, 317, 326
 - resting length-tension relations, 980
 - RNA components in, 805
- myocardium.** *See* Myocardium
- output**
 - and changing heart rate, 206
 - maximal, during exercise, effects of acute blood volume expansion, 26
 - propranolol effects, 520
 - in superior vena cava during fright and exercise, 42
 - in ventricle of fetal lamb, 191
- premature beats**
 - activation order and intraventricular pressures during, 481
 - transmembrane potentials of A-V nodal cells during, 993
- Purkinje fibers, isoproterenol effects, 940**
- rate**
 - control by the autonomic nervous system, 400
 - effects of changing on cardiovascular function, 206
 - effects of increases on force-velocity, left ventricular function, and contractility, 364
 - effects of stellate ganglion stimulation, 650
 - effects on vena caval flow, pressure, and diameter, 42
 - in gas-perfused cat hearts, 891
 - hydraulic power, pulmonary blood flow, and, 467
 - influence on left ventricular volume, 295
 - nervous control in the newborn lamb, 947
 - reflex, and bradycardia in renal hypertension, 18
 - ventricular pressure and norepinephrine release, 774
- tachycardia, and vena caval pressure, flow, and diameter during fright and exercise, 42
- ventricles. *See* Ventricle
- Heart block, atrial conduction in, 33**
- Heart failure**
 - acute, intrapericardial, intrapleural, and intracardiac pressures during, 1071
 - congestive
 - and norepinephrine depletion and sympathetic stimulation, 51
 - pathogenesis of, and active stiffness of the canine left ventricle, 970
 - myocardial high-energy phosphate stores in, 221
- Heart-lung bypass, effects of kinecard and adrenergic antagonists, 528**
- Heart muscle.** *See also* Myocardium and Ventricle
 - extraction of nucleic acid, 805
 - influence of pH changes on mechanical and electrical activity of, 711
 - left ventricular function and mechanics of, 364
 - norepinephrine stores
 - and contractility of, 317
 - digitalis action and, 326
 - resting length-tension relations, 980
 - RNA components in, 805
- Heart rate**
 - control by the autonomic nervous system, 400
 - effects of changing on cardiovascular function, 206
 - effects of increases on force-velocity, left ventricular function, and contractility, 364
 - effects of stellate ganglion stimulation, 650
 - effects on vena caval flow, pressure, and diameter during fright and exercise, 42
 - in gas-perfused cat hearts, 891
 - hydraulic power, pulmonary blood flow, and, 467
 - influence on left ventricular volumes, 295
 - left ventricular pressure and norepinephrine release in the isolated heart, 774
 - nervous control in the newborn lamb, 947
 - reflex, and bradycardia in renal hypertension, 18
- Hemicholinium, adrenergic neurotransmission and chronotropic effect in the sinus node, 347**
- Hemorrhage**
 - effect on arterial plasma renin activity, 269
 - hypotension, intrarenal blood flow distribution during, 167
 - renin release induced by, 851
- Hexamethonium, blockade of cholinergic receptors in the heart, 1097**
- Histamine, and vascular smooth muscle contraction, 593**
- Hydraulic power, associated with pulmonary blood flow, and its relation to heart rate, 467**
- Hypercapnia**
 - combined with hypoxia
 - human cerebrovascular responses, 903
 - responses of small pulmonary arteries, 426
 - prenatal, cardiac malformations induced by, 544
 - response of small pulmonary arteries to, 426
- Hypertension**
 - acute, autoregulation of cerebral blood flow during, 726
 - angiotensin effect on pressor response to tyramine in, 673
 - biological half-life of Na^{22} in, 750
 - diagnosis of by response to tyramine, 673
 - renal; loss of baroreflex bradycardia in, 18
- Hypertrophy**
 - myocardial, nucleic acid and protein levels, 552
 - right ventricular, performance related to increase in muscle mass, 255
- Hypervolemia, and maximal cardiac output response to exercise, 26**
- Hypocapnia, role of cerebrospinal fluid pH in normalization of at high altitude, 274**

- Hypotension**
cephalic, reflex effects in the newborn lamb, 947
hemorrhagic, intrarenal distribution of blood flow during, 167
- Hypothermia**, effects on force-velocity relations, left ventricular function, and contractility of intact heart, 364
- Hypoxia**
adenosine release from anoxic hearts and relation to coronary flow, 420
and cerebral blood flow in man at high altitude, 274
combined with hypercapnia
human cerebrovascular responses, 903
responses of small pulmonary arteries, 426
myocardial high-energy phosphate stores in heart failure induced by, 221
prenatal, cardiac malformations induced by, 544
unilobar, response of small pulmonary arteries to, 426
- I**
- Indicator dilution**
indicator-washout technique compared with biplane angiocardiology in left ventricular volume measurements, 295
inert gas techniques with Kr⁸⁵ for measurement of cerebral blood flow, 681
plasma indicator dispersion in the human leg, 332
transfer function analysis of coronary and renal circulation by, 879
ventricular output measurements in fetal lamb, 191
- Indocyanine green**, as indicator in measurement of ventricular output in fetal lamb, 191
- Inert gas**, Kety-Schmidt and intra-arterial injection methods for measurement of cerebral blood flow, 681
- Infarction**
myocardial
effect on active stiffness of left ventricle, 970
with shock, increase of vascular resistance in, 1086
- Inferior vena cava**, thrombosis, antithrombotic effect of Malayan pit viper venom, 514
- Inositol**, phosphatidyl, in phospholipid synthesis, 122, 132
- Inotropic response**
acetylcholine effect on myocardium, 1097
biphasic, to epinephrine in the myocardium, 307
to dopamine administration, and left ventricular performance, 71
glycosides; norepinephrine stores and digitalis action, 326
to sympathetic nerve stimulation in congestive heart failure, 51
- Interstitial fluid pressure**
effect on resistance to tissue fluid mobility, 412
effects on fluid movement through capillary wall, 1022
- Interventricular septum**; water, nitrogen, and electrolyte contents in the normal canine heart, 662
- Intestine**, small, capillary filtration in the dog, 766
- Intima**
aortic, isolated foam cells from in phospholipid synthesis, 122
myo-intimal cells in phospholipid synthesis, 700
spontaneous aortic lesions in rabbits, 80, 89
surface, movement of cholesterol into arterial wall across, 1041
- Intra-arterial injection method**, inert gas for measurement of cerebral blood flow, 681
- Intracardiac pressure**, during acute heart failure, 1071
- Intraluminal pressure**, contractile activity in arterioles during changes in, 559
- Intravital staining**, with acridine orange in myocardium after temporary coronary occlusion, 57
- Ions**
ammonium, effects on renal angiotensinase activity, 507
calcium, control of cardiac actomyosin activity by, 1062
potassium, control of cardiac actomyosin activity by, 1062
transport in myocardium after prolonged infusion of epinephrine, 307
- Ischemia**
cephalic, and cardiac sympathetic pathways, 650
myocardial, effects on maximum acceleration of blood flow from the left ventricle, 139
renal, and intrarenal distribution of blood flow during hemorrhagic hypotension, 167
temporary, myocardial revival time after, 57
- Isometric tension**, and influence of cardiac norepinephrine stores on heart muscle response to digitalis, 326
- Isopotential maps**, of body surface voltage, 489
- Isopropyl norepinephrine**. *See also* Norepinephrine
effects on maximum acceleration of blood flow from the left ventricle, 139
and left ventricular stroke volume, 148
- Isoproterenol**
electrophysiological effects on Purkinje fibers, 940
and vena caval pressure, flow, and diameter, 42
- J**
- Journals**, scientific, functions of, 3
- K**
- Kety-Schmidt method**, inert-gas technique for measurement of cerebral blood flow, 681
- Kidney**
angiotensinase activity, localization and effects of mercury, 507
blood flow distribution during hemorrhagic hypotension, 167
renal hypertension, loss of baroreflex bradycardia in, 18
renin
assay method for plasma renin activity, 260
effect of hemorrhage on arterial plasma renin activity, 269
human; extraction, purification, and assay of, 739
neural stimulation of release of, 851
release during hemorrhage, 851
- Kinckard**, effects of adrenergic antagonists on peripheral constrictor action of, 528
- Krypton-85**
in determination of intrarenal blood flow during hemorrhagic hypotension, 167
inert-gas techniques for measurement of cerebral blood flow, 681
- L**
- Laminar flow**, laminar-turbulent transition process in pulsatile flow, 791
- Landis, Eugene M.**, an appreciation (Editorial), 1
- Leads**, electrocardiographic, aimed; electrolytic tank model for study of, 584

- Lecithin**, content in foam cells from rabbit atherosclerotic lesions, 122
- Length-tension relations**, in cardiac muscle, alterations induced by changes in contractile force, 980
- Lipids**
 composition and phospholipid synthesis by foam cells isolated from atherosclerotic lesions, 122
 deposition in spontaneous aortic lesions in rabbits, 80, 89
 phospholipid synthesis, 122, 132, 700
 plasma, liver, and bile, affected by estrogen dosage, 564
 transport in myocardium during biphasic inotropic response to epinephrine, 307
- Lipoproteins**, plasma, movement of cholesterol into arterial wall, 1041
- Liver**, cholesterol levels affected by estrogen dosage, 564
- Lung**. *See* Pulmonary circulation

M

- Magnetic meters**, electrical resistance, flow measurements, and square-wave circuits, 917
- Malayan pit viper venom**, antithrombotic effect on inferior vena caval thrombosis, 514
- Malformations**, cardiac, induced by prenatal hypoxia, hypercapnia, and asphyxia, 544
- Maps**
 chest, electrical activity of the heart, 865
 isopotential, of body surface voltage, 489
- Medulla**, adrenal, release of catecholamines by angiotensin II, 571
- Meralluride**, effects on renal angiotensinase activity, 507
- Mercury**, effects on renal angiotensinase activity, 507
- Mesentery membrane**, stress-strain relationships and the elastic properties of the capillary bed, 441
- Metabolic acidosis**, increased susceptibility of heart to ventricular fibrillation during, 63
- Metabolism**
 of gas-perfused cat hearts, 891
 lipids and carbohydrates in myocardium during biphasic inotropic response to epinephrine, 307
- Metanephrine**, potentiation of vascular myotropic responses by, 538
- Meters**, magnetic; electrical resistance, flow measurements, and square-wave circuits, 917
- Mitochondria**, effect of catecholamines and adrenergic blocking agents on oxidative phosphorylation in, 1050
- Monophasic action potentials**
 and atrial repolarization phase, 96
 and vagal effects in atrium, 576
- Morphologic characteristics**, of spontaneous aortic lesions in rabbits, 80
- Mucopolysaccharides**
 chondroitin sulfate A in prevention of atherosclerosis in subhuman primates, 358
 deposition in spontaneous aortic lesions in rabbits, 80, 89
- Muscle**
 actomyosin, cardiac and skeletal ATPase activity, 1062
 amounts in pulmonary artery and aorta, 104
 cardiac. *See also* Myocardium and Ventricle
 extraction of nucleic acid, 805
 influence of pH changes on mechanical activity of, 711
 left ventricular function and mechanics of, 364
 norepinephrine stores, 317, 326
 resting length-tension relations, 980
 RNA components in, 805
 contraction in large arteries, 104
 increase in muscle mass and performance of hypertrophied right ventricle, 255
 myosin, cardiac and skeletal muscle ATPase activity compared, 283, 611
 pumping in the dependent leg, 180
 vascular smooth
 contractile activity of arterioles in the bat wing, 559
 contraction in response to plasma, 593
 fluid transport across the blood-brain barrier at high altitude, 274
- Myocardial infarction**
 effect on active stiffness of the canine left ventricle, 970
 with shock, increase of vascular resistance in, 1086
- Myocardium**
 actomyosin levels, 552
 blood supply after coronary occlusion, 57
 catecholamine level and oxidative phosphorylation, 1050
 contractility
 and cardiac norepinephrine stores, 317
 and the contractile proteins, 1062
 dopamine effects, 71
 effects of baroreceptor stimulation of the aortic arch, 930
 and high-energy phosphate stores during hypoxic heart failure, 221
 and left ventricular ejection, 139
 and left ventricular stroke volume, 148
 and norepinephrine depletion in congestive heart failure, 51
 counterpulsation effects of oxygen utilization, 1031
 direct positive inotropic effect of acetylcholine, 1097
 function and metabolism during biphasic inotropic response to epinephrine, 307
 function in the newborn lamb, 947
 high-energy phosphate stores in hypoxic heart failure, 221
 hypoxia, and adenosine release, 420
 infarction
 effect on active stiffness of the left ventricle, 970
 with shock, increase of vascular resistance in, 1086
 ion transport after prolonged epinephrine infusion, 307
 ischemia, effects on maximum acceleration of blood flow from the left ventricle, 139
 nucleic acid and protein levels, 552
 postnatal growth and development, 552
 revival time after coronary occlusion, 57
 water, nitrogen, and electrolyte contents, 662
- Myo-intimal cells**, possible role in phospholipid synthesis in atherosclerosis, 700
- Myosin**
 actomyosin
 control of activity by Ca^{2+} , Na^+ , and K^+ , 1062
 myocardial levels, 552
 cardiac ATPase activity compared with skeletal muscle ATPase activity, 283, 611
 myosin B superprecipitation by ouabain and digoxin, 496
- Myotropic responses**, vascular, potentiated by metanephrine and other noncatecholamines, 538

N

- Nephrotoxins**, effect on renal angiotensinase activity, 507
- Nerves**
- aortic, and reflex bradycardia in renal hypertension, 18
 - autonomic
 - control of heart rate in man by, 400
 - effects of baroreceptor stimulation of the aortic arch, 930
 - influence on cardiac reflexes in the newborn lamb, 947
 - cardiac, regeneration of after cardiac denervation, 153
 - cardiac denervation
 - circulatory responses after, 153
 - electrophysiological effects of quinidine, with and without, 960
 - carotid sinus reflexes
 - and bradycardia in renal hypertension, 18
 - control of ventricular performance, 5
 - in the newborn lamb, 947
 - neural stimulation of renin release, 851
 - sympathetic
 - in autoregulation of cerebral blood flow, 726
 - blockade in autonomic control of heart rate in man, 400
 - cardiac function in the newborn lamb, 947
 - and cholinergic receptors in the heart, 1097
 - distribution of peripheral cardiac sympathetic pathways, 650
 - effects of baroreceptor stimulation of the aortic arch, 930
 - effects on left ventricular performance, 5
 - neural stimulation of renin release, 851
 - postganglionic stimulation and norepinephrine depletion in heart failure, 51
 - vagosp sympathetic accelerator fibers after cardiac denervation, 153
 - vagus
 - arrhythmias produced by digitalis and vagal stimulation, 622
 - effects of stimulation of on ventricular performance, 5
 - nonuniform distribution of stimulation effects in the atria, 576
 - vagosp sympathetic accelerator fibers after cardiac denervation, 153
- Neural ablation**, mediastinal, degree of cardiac denervation following, 153
- Neuroeffector junction**, myocardial, cholinergic receptor site, 1097
- Nicotine**, cholinergic receptor in the heart, 1097
- Nitrogen**, content of ventricular walls and inter-ventricular septum in normal hearts, 662
- Node**. *See* Atrioventricular node and Sinoatrial node
- Norepinephrine**
- angiotensin effect on pressor response to, 673
 - cardiac stores
 - and contractility of heart muscle, 317
 - influence on heart muscle response to digitalis, 326
 - and cholinergic receptors in the heart, 1097
 - depletion, and sympathetic stimulation in congestive heart failure, 51
 - and dopamine-induced alterations in ventricular performance, 71
 - effects on force-velocity relation, left ventricular function, and contractility of the intact heart, 364
 - effects on pressure, flow, and diameter in the superior vena cava, 42

- isopropyl norepinephrine
 - effects on maximum acceleration of blood flow from the left ventricle, 139
 - and left ventricular stroke volume, 148
 - release
 - by angiotensin II, 571
 - and left ventricular pressure in the isolated heart, 774
 - from storage sites by metanephrine, 538
- Nucleic acid**. *See also* Deoxyribonucleic acid (DNA) and Ribonucleic acid (RNA)
- extraction from cardiac muscle, 805
 - ventricular levels with myocardial growth and hypertrophy, 552

O

- Occlusion**
- coronary
 - effects on maximum acceleration of blood flow from the left ventricle, 139
 - myocardial revival time after, 57
- Ouabain**, superprecipitation of myosin B by, 496
- Outflow detection method**, for measurement of cerebral blood flow, 681
- Oxidative phosphorylation**, effects of catecholamines and adrenergic blocking agents in rat heart mitochondria, 1050
- Oxygen**
- cerebrovascular responses to combined hypoxia and hypercapnia, 903
 - constriction of the neonatal aorta by raised tension of, 755
 - consumption
 - counterpulsation effects, 1031
 - and maximal cardiac output response to exercise, 26
 - propranolol effects, 520
 - and wasting, in rat heart mitochondria, catecholamine effects, 1050
 - hypoxia
 - adenosine release from anoxic hearts and relation to coronary flow, 420
 - and cerebral blood flow in man at high altitude, 274
 - combined with hypercapnia, 426, 903
 - heart failure induced by, myocardial high-energy phosphate stores in, 221
 - prenatal, cardiac malformations induced by, 544
 - unilobar, response of small pulmonary arteries to, 426
 - uptake and transfer in the placenta, 816
 - wasting, in rat heart mitochondria, catecholamine effects, 1050

P

- Pacemakers**, electrophysiological effects of isoproterenol in Purkinje fibers, 940
- Pericardial pressure**, during acute heart failure, 1071
- Peripheral circulation**
- capillary filtration in small intestine of the dog, 766
 - effects of adrenergic antagonists on kinecard, 528
 - in man, muscle pumping in the dependent leg, 180
- Peripheral resistance**, and changes in heart rate, 206
- pH**, influence of changes in on mechanical and electrical activity of cardiac muscle, 711
- Phenoxybenzamine**, effects on peripheral constrictor action of kinecard, 528
- Phosphate**
- high-energy, myocardial stores in hypoxic heart failure, 221

- P^{32} , in phospholipid synthesis in normal and atherosclerotic aortas, 132
- Phosphatidyl inositol**, in phospholipid synthesis, 122, 132
- Phospholipid synthesis**
by foam cells isolated from rabbit atherosclerotic lesions, 122
in atherosclerosis, possible role of myo-intimal cells, 700
in normal and atheromatous rabbit aortas, 132
- Phospholipids**, plasma, effects of estrogen dosage, 564
- Phosphorylation**, oxidative, effects of catecholamines and blocking agents in mitochondria, 1050
- Placenta**, rabbit, as an organ of diffusional exchange, comparison with other species, 816
- Plasma**
cholesterol levels affected by estrogen dosage, 564
contraction of vascular smooth muscle in response to, 593
fatty acids, effects of estrogen dosage, 564
indicator dispersion in arteries of the human leg, 332
lipoprotein, movement of cholesterol into arterial wall, 1041
renin activity
assay method, 260
effect of hemorrhage, 269
reversal of angiotensin tachyphylaxis by fractions of, 247
- Pleural pressure**, during acute heart failure, 1071
- Potassium**
complete atrioventricular block due to, 373
ion, control of cardiac actomyosin activity by, 1062
- Potentials**
action potentials
atrial, and repolarization phase of right atrium, 96
change and cycle length in the ventricle, 602
duration and refractory phase during premature beats, 993
monophasic, 96, 576
body surface, and ventricular excitation, 489
transmembrane, of A-V nodal cells during premature beats, 993
- Premature beats**
activation order and intraventricular pressures during, 481
transmembrane potentials of A-V nodal cells during propagation of, 993
- Pressor test (cold)**, effects of angiotensin on response to, 673
- Pressoreceptors**. *See* Baroreceptors
- Pressure**. *See also* Blood pressure
arterial, effects on fluid movement through the capillary wall, 1022
and changes in heart rate, 206
interstitial fluid
effect on resistance to tissue fluid mobility, 412
effects on fluid movement through the capillary wall, 1022
intracardiac, during acute heart failure, 1071
intraluminal, contractile activity of arterioles during changes in, 559
intrapericardial, intrapleural, during acute heart failure, 1071
intraventricular, variation in activation order during premature beats, 481
pulse pressure
and changes in heart rate, 206
stroke volume determined from in heart block, 33
- venous
central, as limiting factor in cardiac output response to exercise, 26
effects on fluid movement through the capillary wall, 1022
- Primates**, prevention of atherosclerosis by chondroitin sulfate A in, 358
- Pronethalol**
effect on acetylcholinesterase-induced ventricular arrhythmias, 622
extra-adrenergic effects, 721
- Propranolol**
effect on pressor action of kinecard, 528
effect on ventricular fibrillation thresholds, 721
systemic and coronary hemodynamic effects at rest and during exercise, 520
- Proteins**
contractile
cardiac and skeletal muscle myosin ATPase activity compared, 283, 611
 Ca^{2+} , Na^{+} , and K^{+} control of activity of cardiac actomyosin, 1062
ventricular levels with myocardial growth and hypertrophy, 552
- Public Law 89-544**, and the American Heart Association program, 1110
- Pulmonary artery**
collagen, elastin, and muscle determinations, 104
response to unilobar hypoxia and hypercapnia, 423
- Pulmonary circulation**
hydraulic power associated with blood flow and its relation to heart rate, 467
hypoxia
adenosine release from anoxic hearts and relation to coronary flow, 420
and cerebral blood flow in man at high altitude, 274
combined with hypercapnia, 426, 903
heart failure induced by, myocardial high-energy phosphate stores, 221
prenatal, cardiac malformations induced by, 544
unilobar, response of small pulmonary arteries to, 426
pressure and flow wave propagation in, 834
responses of small arteries to unilobar hypoxia and hypercapnia, 426
- Pulsatile flow**
laminar-turbulent transition process in, 791
wave propagation in the pulmonary circulation, 834
- Pulse pressure**
and changes in heart rate, 206
stroke volume determined from in heart block, 33
- Purkinje fibers**, electrophysiological effects of isoproterenol on, 940

Q

- Quinidine**
effect on acetylcholinesterase-induced ventricular arrhythmia, 622
electrophysiological effects with and without cardiac denervation, 960

R

- Receptors**
 β -adrenergic
blockade and dopamine-induced alterations in left ventricular performance, 71
isoproterenol effects in Purkinje fibers, 940
baroreceptors
baroreflex bradycardia in renal hypertension, 18

- cardiac sympathetic tone and, 650
- and heart rate, 18, 400
- stimulation of aortic arch, cardiac and respiratory effects, 930
- cholinergic, in the heart, 1097
- Reflexes**
 - baroreceptor
 - baroreflex bradycardia in renal hypertension, 18
 - cardiac sympathetic tone and, 650
 - effects of stimulation of the aortic arch, 930
 - and exercise in control of heart rate in man, 400
 - cardiac, in the newborn lamb, 947
 - carotid sinus
 - bradycardia in renal hypertension, 18
 - reflex control of ventricular performance, 5
 - in the newborn lamb, 947
 - loss of baroreflex bradycardia in renal hypertension, 18
 - sino-aortic, in renal hypertension, 18
- Renal circulation**
 - angiotensinase activity, localization and effects of mercury, 507
 - hypertension, loss of baroreflex bradycardia in, 18
 - intrarenal distribution of blood flow during hemorrhagic hypotension, 167
 - neural stimulation of renin release, 851
 - transfer function analysis by indicator-dilution curves, 879
- Renal ischemia**, and intrarenal distribution of blood flow during hemorrhagic hypotension, 167
- Renin**
 - assay method for plasma renin activity, 260
 - human; extraction, purification, and assay of, 739
 - release, neural stimulation of during hemorrhage, 851
- Repolarization phase**, of the right atrium, 96
- Reserpine**
 - acetylcholinesterase-induced arrhythmias in cats treated with, effects of quinidine and pronethalol, 622
 - and influence of cardiac norepinephrine stores on heart muscle response to digitalis, 326
- Residue detection method**, for measurement of cerebral blood flow, 681
- Resin**, cation exchange (Dowex-50), reversal of angiotensin tachyphylaxis by, 247
- Resistance**
 - electrical, and magnetic meters, 917
 - peripheral, and changes in heart rate, 206
 - vascular, increase in myocardial infarction with shock, 1086
- Respiration**
 - cerebrovascular responses to combined hypoxia and hypercapnia, 903
 - effects of baroreceptor stimulation of the aortic arch, 930
 - effects on pressure, flow, and diameter in superior vena cava, 42
- Respiratory acidosis**, and susceptibility of heart to ventricular fibrillation, 63
- Revival time**, of myocardium after coronary occlusion, 57
- Reynolds number**, in laminar-turbulent transition process in pulsatile flow, 791
- Ribonucleic acid (RNA)**
 - components in cardiac muscle, 805
 - 4 to 18 S fraction, components in cardiac muscle, 805
 - myocardial levels, 552
- Right ventricular hypertrophy**, increase of muscle mass and performance of ventricle, 255
- Rotameter**, measurement of coronary blood flow with normal and abnormal myocardial oxygenation and function, 695
- Rubidium-86**, measurement of coronary blood flow with normal and abnormal myocardial oxygenation and function, 695
- S**
- Saturation phenomenon**, in angiotensin tachyphylaxis, 247
- Scientific journals**, functions of, 3
- Series elasticity**, of the canine left ventricle, 970
- Serotonin**
 - vascular contractile responses potentiated by metanephrine, 538
 - and vascular smooth muscle contraction, 593
- Shock**
 - energy content of, in ventricular defibrillation, 689
 - in myocardial infarction, increase of vascular resistance in, 1086
- Simpson's rule for volume calculation**, in left ventricular volume measurements, 11
- Sinoatrial node**, effects of reserpine, quinidine, and pronethalol on rate, 622
- Sinus**. *See* Carotid sinus
- Sinus node**, cholinergic mechanisms in, 347
- Skeletal muscle**
 - ATPase activity of actomyosin, 1062
 - ATPase activity of myosin, 283, 611
- Skodaic theory**, aortic coarctation, effects of raised oxygen tension, 755
- Smooth muscle**
 - vascular
 - contractile activity of arterioles in the bat wing, 559
 - contraction in response to plasma, 593
 - fluid transport across the blood-brain barrier at high altitude, 274
- Snake venom**, antithrombotic effects of Malayan pit viper venom in inferior vena cava, 514
- Sodium ion**, control of cardiac actomyosin activity by, 1062
- Sodium-22**, biological half-life in hypertension, 750
- Sphingomyelin**, content in foam cells isolated from rabbit atherosclerotic lesions, 122
- Square-wave meter**, improved calibration for circuits, 917
- Staining**. *See also* Indicator dilution
 - intravital, with acridine orange, for determination of myocardial blood supply, 57
 - indocyanine green, as indicator in measurement of ventricular output in fetal lamb, 191
- Stellatectomy**, bilateral, circulatory responses after, 153
- Stress-relaxation**, in arterial walls, 104
- Stroke volume**
 - atrial contribution to in heart block, 33
 - and changing heart rate, 206
 - of left ventricle, determinants, 148
- Strophanthidin**, and cardiac norepinephrine stores, 326
- Superior vena cava**, pressure, flow, and diameter during fright and exercise, 42
- Sympathetic nervous system**
 - in autoregulation of cerebral blood flow, 726
 - baroreceptor stimulation of the aortic arch, 930
 - blockade effects in autonomic control of heart rate in man, 400
 - cardiac function in the newborn lamb, 947
 - and cholinergic receptors in the heart, 1097
 - distribution of peripheral cardiac sympathetic pathways, 650

neural stimulation of renin release, 851
 postganglionic stimulation and norepinephrine depletion in congestive heart failure, 51
 and vagal stimulation effects on ventricular performance, 5
 vagosympathetic accelerator fibers after cardiac denervation, 153

T

T_a wave, and atrial repolarization phase, 96
Tachycardia, and vena caval pressure, flow, and diameter during fright and exercise, 42
Tachyphylaxis, to angiotensin, and its reversal, 247
Tension
 circumferential, in arterial wall, 104
 isometric; norepinephrine and heart muscle response to digitalis, 326
 length-tension relations in cardiac muscle, 980
Teratogenic effects, of maternal hypercapnia with hypoxia, 544
Tethering, longitudinal, of arteries in dogs, 1011
Thrombosis
 of inferior vena cava, antithrombotic effects of Malayan pit viper venom on, 514
 new method for producing in the inferior vena cava, 514
Tissue
 connective, and collagen and elastin contents in arteries, 394
 effect of interstitial fluid pressure on tissue fluid mobility, 412
 electrical resistance measured by magnetic meters, 917
Transfer function
 analysis of coronary and renal circulation from indicator-dilution curves, 879
 arterial, in plasma indicator dispersion in arteries of human leg, 332
Transmembrane potentials, of A-V nodal cells during propagation of premature beats, 993
Transmission
 A-V, ventricular responses to atrial fibrillation, 911
 A-V nodal cell potentials and propagation of premature beats, 993
Trapezoidal waveforms, ventricular defibrillation with, 689
Triangular waveforms, ventricular defibrillation with, 689
Triglycerides, uptake in myocardium after prolonged infusion of epinephrine, 307
Turbulent flow, laminar-turbulent transition process in pulsatile flow, 791
Tyramine
 angiotensin effect on pressor response to, 673
 potentiation of vascular myotropic responses by, 538

V

Vagus nerves
 arrhythmias produced by digitalis and vagal stimulation, 622
 effects of stimulation of on ventricular performance, 5
 nonuniform distribution of stimulation effects in the dog atria, 576
 vagosympathetic accelerator fibers after cardiac denervation, 153
Vascular resistance, increase in myocardial infarction with shock, 1086

Vascular responses, potentiated by metanephrine and other noncatecholamines, 538
Vascular smooth muscle
 contractile activity of arterioles in the bat wing, 559
 contraction in response to plasma, 593
 fluid transport across the blood-brain barrier at high altitude, 274
Vascular tethering, of arteries in dogs, 1011
Vasoconstriction
 hypoxic pulmonary, 426
 plasma potentiation of, in vascular smooth muscle, 593
Vasoconstrictor drugs, and vena caval pressure, flow, and diameter during fright and exercise, 42
Vasodilatation
 by adenosine triphosphate, in plasma indicator dispersion in human leg, 332
 cerebrovascular responses to combined hypoxia and hypercapnia, 903
Vasopressin
 vascular contractile responses potentiated by metanephrine, 538
 and vascular smooth muscle contraction, 593
Velocity. *See* Force-velocity relations
Vena cava
 inferior, antithrombotic effect of Malayan pit viper venom, 514
 superior; pressure, flow, and diameter during fright and exercise, 42
Venom, Malayan pit viper, antithrombotic effects in inferior vena cava, 514
Venous pressure
 central, as limiting factor in cardiac output response to exercise, 26
 effects on movement of fluid through the capillary wall, 1022
Venous return, in superior vena cava during fright and exercise, 42
Ventilation, cerebrovascular responses to combined hypoxia and hypercapnia, 903
Ventricle
 action potential change and cycle length, 602
 activation order and cardiac performance, 481
 arrhythmias
 acetylcholinesterase-induced, effects of quinidine and pronethalol, 622
 defibrillation with triangular and trapezoidal waveforms, 689
 composition of walls and septum, 662
 contractility
 force-velocity relations, function curve, and, 364
 in the newborn lamb, 947
 sympathetic and vagal effects, 5
 defibrillation with triangular and trapezoidal waveforms, 689
 echoes
 dissociation of conduction and reentry within the A-V node, 638
 in dual A-V nodal conduction system, 378, 638
 electrical pacing, and stroke volume in heart block, 33
 excitation, relation to body surface potential, 489
 fibrillation
 defibrillation with triangular and trapezoidal waveforms, 689
 failure of β -adrenergic blockade to alter threshold, 721
 increased susceptibility of heart during metabolic acidosis, 63
 intraventricular conduction, quinidine effects, 960
 intraventricular pressures, and activation order during premature beats, 481

- left
 - active stiffness of, 970
 - alterations in performance induced by dopamine, 71
 - ejection, 139, 148
 - force-velocity relations, function curve, and contractility, 364
 - function during sustained infusion of *L*-epinephrine, 307
 - maximum acceleration of blood flow from, 139
 - pressure and norepinephrine release in isolated heart, 774
 - stroke volume of, 148
 - sympathetic and parasympathetic interactions upon, 5
 - volume measurements by biplane angiocardioraphy, 11, 295
 - length-tension relations, 980
 - nucleic acid and protein levels with myocardial growth and hypertrophy, 552
 - obstruction to outflow during acute heart failure, 1071
 - output in the fetal lamb, 191
 - performance
 - dopamine-induced alterations in, 71
 - effects of baroreceptor stimulation of the aortic arch, 930
 - in hypertrophied right ventricle, relation to increase in muscle mass, 255
 - force-velocity relations and, 364
 - left ventricular pressure and norepinephrine release in isolated heart, 774
 - nervous control of, 5
 - in the newborn lamb, 947
 - premature beats, activation order and intraventricular pressures during, 481
 - repolarization, body surface distribution of equipotential lines during, 865
 - response in atrial fibrillation, retarded excitation, 911
 - right, hypertrophied; increase of muscle mass and performance of, 255
 - volume, in state of elastic equilibrium, 1080
 - Ventricular fibrillation**
 - defibrillation with triangular and trapezoidal waveforms, 689
 - failure of β -adrenergic blockade to alter threshold, 721
 - increased susceptibility of heart during metabolic acidosis, 63
 - Ventricular hypertrophy**, right, increase of muscle mass and performance of ventricle, 255
 - Vertebral artery**, blood flow during acute hypertension, 726
 - Volume**. *See also* Blood volume
 - left ventricular, measured by biplane angiocardioraphy, 11, 295
 - stroke volume
 - atrial contribution in heart block, 33
 - and changing heart rate, 206
 - of left ventricle, determinants, 148
- W**
- Washout**, indicator, compared with biplane angiocardioraphy in left ventricular volume measurements, 295
 - Water**, content of ventricular walls and interventricular septum in normal hearts, 662
 - Waveforms**, triangular and trapezoidal, ventricular defibrillation with, 689
 - Womersley's theories**
 - and arterial pressure-flow relations, 230
 - of vascular tethering, 1011
- X**
- X-ray**, biplane angiocardioraphy, for measurement of left ventricular volume, 11, 295

SUPPLEMENTS
TO
Circulation Research

AN OFFICIAL JOURNAL OF THE AMERICAN HEART ASSOCIATION

VOLUMES XVIII and XIX

January-December
1966

AMERICAN HEART ASSOCIATION, INC.



SUPPLEMENTS

to

CIRCULATION RESEARCH

AN OFFICIAL JOURNAL OF THE AMERICAN HEART ASSOCIATION
44 East 23rd Street, New York, N. Y. 10010

EDITORS OF SUPPLEMENTS

THEODORE COOPER
(*Circulation*)

EUGENE BRAUNWALD, Chairman

ALFRED P. FISHMAN
(*Circulation Research*)

EDITORIAL BOARD

Erwin H. Mosbach, *Council on Arteriosclerosis*

Nancy M. Buckley, *Council on Basic Science*

William W. L. Glenn, *Council on Cardio-vascular Surgery*

H. Edward Holling, *Council on Circulation*

Herbert N. Hultgren, *Council on Clinical Cardiology*

W. A. Krehl, *Council Coordinating Committee for Community Program*

J. Edwin Wood, *Council for High Blood Pressure Research*

Helen B. Taussig, *Council on Rheumatic Fever and Congenital Heart Disease*

Supplements to CIRCULATION RESEARCH will be published occasionally for binding annually in a separate volume entitled "Supplements to CIRCULATION RESEARCH." Each supplement's page numbers will begin with page one. Supplements to CIRCULATION RESEARCH will be indexed separately at the end of the year.

PUBLICATIONS COMMITTEE, AMERICAN HEART ASSOCIATION

EUGENE BRAUNWALD, *Chairman*
Bethesda, Md.

CRAWFORD W. ADAMS
Nashville, Tenn.

SIMS GAYNOR
New York, N. Y.

DONALD C. MCGRAW, JR.
New York, N. Y.

CHARLES A. R. CONNOR
New York, N. Y.

HANS H. HECHT
Chicago, Ill.

ERWIN H. MOSBACH
New York, N. Y.

ROBERT H. FURMAN
Oklahoma City, Okla.

PAUL H. LAVIETES
New Haven, Conn.

WALTER H. PRITCHARD
Cleveland, Ohio

GEORGE E. WAKERLIN, *Medical Director, American Heart Association, New York, N. Y.*

EDWARD S. ORGAIN
Durham, N. C.

HOWARD B. BURCHELL
Rochester, Minn.

EUGENE M. LANDIS
Boston, Mass.

Published at the Publication Office, Hanover, New Hampshire. Second-class postage paid at Hanover, New Hampshire.

Copyright © 1966, The American Heart Association, Inc., 44 East Twenty-third Street, New York, N. Y. 10010

SUPPLEMENTS TO CIRCULATION RESEARCH

AN OFFICIAL JOURNAL OF THE AMERICAN HEART ASSOCIATION

Volumes XVIII and XIX

January-December
1966

I. HYPERTENSION XIV: NEUROHUMORAL MECHANISMS AND VASCULAR SMOOTH MUSCLE

| | |
|--|-------|
| Foreword | |
| J. Edwin Wood | I-1 |
| Physical Factors Which Influence Vascular Caliber and Blood Flow | |
| Lysle H. Peterson | I-3 |
| Role of Chemicals in Local Regulation of Vascular Resistance | |
| Francis J. Haddy | I-14 |
| Effect of Ca^{++} upon Contractility of Small Arteries from DCA-Hypertensive Rats | |
| Joseph A. M. Hinke | I-23 |
| Metabolism and Distribution of Intravenously Administered d-Aldosterone-1,2-H^3 in the Arteries, Kidneys, and Heart of Dog | |
| William Hollander, Dieter M. Kramsch, Aram V. Chobanian, and James C. Melby | I-35 |
| Circulatory Responses to Norepinephrine After Prolonged Treatment with Chlorothiazide | |
| John W. Eckstein, Michael G. Wendling, and Francois M. Abboud | I-48 |
| Inhibition of Adrenergic Activity at a Locus Peripheral to the Brain and Spinal Cord | |
| Lloyd Beck, Donald W. DuCharme, Gerard L. Gebber, Jerome A. Levin, and Albert A. Pollard | I-55 |
| Medullary Control of Vascular Resistance: An Electrophysiological Analysis | |
| Vincent S. Aoki and Michael J. Brody | I-73 |
| A Cardiac Factor in Hypertensive Responses: Delineation by Transplantation of the Heart | |
| Theodore Cooper, Clarence N. Peiss, Vallee L. Willman, and Walter C. Randall | I-86 |
| Reflex Vasoconstrictor and Vasodilator Responses in Man | |
| Francois M. Abboud and John W. Eckstein | I-96 |
| Inhibition of Catecholamine Biosynthesis in Man | |
| Karl Engleman and Albert Sjoerdsma | I-104 |
| Hemodynamic Effects of Dopamine in the Dog Before and After Alpha Adrenergic Blockade | |
| John L. McNay and Leon I. Goldberg | I-110 |
| Substitute Adrenergic Transmitters: A Newly Appreciated Mechanism of Action of Antihypertensive Drugs | |
| J. Richard Crout | I-120 |

| | |
|--|-------|
| Production of Renin by Human Juxtaglomerular Cells in Vitro Abel L. Robertson, Jr., Robert R. Smeby, F. Merlin Bumpus, and Irvine H. Page | I-131 |
| Mechanisms Involved in the Hypersecretion of Aldosterone During Sodium Depletion James O. Davis, Peter F. Binnion, Torrey C. Brown, and C. I. Johnston | I-143 |
| Patterns of Adrenal Secretion and Urinary Excretion of Aldosterone and Plasma Renin Activity in Normal and Hypertensive Subjects John H. Laragh, Jean E. Sealey, and Sheldon C. Sommers | I-158 |

II. GRADUATE RESEARCH TRAINING GRANT PROGRAMS OF THE NATIONAL HEART INSTITUTE

| | |
|--|------|
| Postdoctoral Education. L. L. Langley | II-3 |
| Introduction | II-7 |
| Graduate Research Training Grant Programs | II-9 |

Supplements I and II to Circulation Research

AUTHOR INDEX

VOLUMES XVIII AND XIX

Abboud, F. M., I-48, I-96
Aoki, V. S., I-73

Beck, L., I-55
Binnion, P. F., I-143
Brody, M. J., I-73
Brown, T. C., I-143
Bumpus, F. M., I-131

Chobanian, A. V., I-35
Cooper, T., I-86
Crout, J. R., I-120

Davis, J. O., I-143
DuCharme, D. W., I-55

Eckstein, J. W., I-48, I-96
Engleman, K., I-104

Gebber, G. L., I-55
Goldberg, L. I., I-110

Haddy, F. J., I-14
Hinke, J. A. M., I-23
Hollander, W., I-35

Johnston, C. I., I-143

Kramsch, D. M., I-35

Langley, L. L., II-3
Laragh, J. H., I-158
Levin, J. A., I-55

McNay, J. L., I-110

Melby, J. C., I-35

JANUARY-DECEMBER, 1966

National Heart Institute, II-7

Page, I. H., I-131
Peiss, C. N., I-86
Peterson, L. H., I-3
Pollard, A. A., I-55

Randall, W. C., I-86
Robertson, A. L., Jr., I-131

Sealey, J. E., I-158
Sjoerdsma, A., I-104
Smeby, R. R., I-131
Sommers, S. C., I-158
Wendling, M. G., I-48
Willman, V. L., I-86
Wood, J. E., I-1

Circulation Research

SUPPLEMENT SUBJECT INDEX

VOLUMES XVIII AND XIX

JANUARY-DECEMBER, 1966

A

- Adenosine, and adenine nucleotides, in regulation of vascular resistance, I-14
- Adrenal cortex, aldosterone secretion in normal and hypertensive subjects, I-158
- Adrenergic activity, inhibition at locus outside central nervous system, I-55
- Adrenergic blockade, dopamine effects before and after, I-110
- Adrenergic transmitters, substitute, mediation of action of antihypertensive drugs, I-120
- Adrenocorticotropin (ACTH), in aldosterone secretion during sodium depletion, I-143
- Aldosterone
 - metabolism and distribution in arteries and tissues of the dog, I-35
 - secretion
 - adrenal, and urinary excretion in hypertensive and normal subjects, I-158
 - hypersecretion during sodium depletion, I-143
- Antihypertensive drugs, substitute adrenergic transmitters, I-120
- Arteries
 - aldosterone metabolism and distribution in, I-35
 - small, effect of Ca^{++} on contractility in DCA-hypertensive rats, I-23
- Autotransplantation, cardiac, hypertensive responses, I-86

B

- Biosynthesis, of catecholamines; inhibition by α -methyl-para-L-tyrosine (α -MPT), I-104
- Blockade, adrenergic, dopamine effects before and after, I-110
- Blood flow
 - radius of blood vessels and, I-3
 - resistance to, chemicals in regulation of, I-14
 - responses to stimuli in forearm of man, I-96
- Blood pressure
 - hypertension
 - action of substitute transmitters on antihypertensive drugs, I-120
 - aldosterone secretion and excretion in, I-158
 - cardiac factor in responses in, I-86
 - DCA, Ca^{++} effects on small artery contractility, I-23
 - vascular caliber and blood flow, I-3
 - reduction in pheochromocytoma by α -MPT inhibition of catecholamine synthesis, I-104
 - responses after cardiac autotransplantation, I-86
- Blood vessels
 - radius of and blood flow, I-3
 - responses to norepinephrine after prolonged chlorothiazide treatment, I-48
- Brain, inhibition of adrenergic activity at locus peripheral to, I-55

C

- Calcium ion, effect on contractility of small arteries in DCA-hypertensive rats, I-23
- Cardiac output, effects of norepinephrine after prolonged chlorothiazide treatment, I-48

- Cardiovascular research, National Heart Institute Graduate Research Training Grant Programs, II-1-II-44
- Catecholamines
 - circulatory responses of norepinephrine after prolonged chlorothiazide treatment, I-48
 - inhibition of biosynthesis of in man by α -MPT, I-104
- Chlorothiazide, circulatory responses to norepinephrine after prolonged treatment with, I-48
- Constriction. *See* Vasoconstriction
- Contractility, of small arteries in DCA-hypertensive rats, effect of Ca^{++} , I-23
- Cultures, human juxtaglomerular cells, renin production by, I-131

D

- Deoxycorticosterone acetate (DCA), effect of Ca^{++} on contractility of small arteries of rats made hypertensive by, I-23
- Dilatation. *See also* Vasodilatation
 - and inhibition of adrenergic activity, I-55
 - medullary control of vascular resistance, I-73
- Dopamine, reflex before and after α -adrenergic blockade, I-110

E

- Electrical activity, relationship to medullary control of vascular resistance, I-73
- Electrolytes
 - and aldosterone secretion, I-143, I-158
 - in arteries, I-23
 - Ca^{++} effects on contractility of small arteries in DCA-hypertensive rats, I-23
 - effects of changes on aldosterone secretion, I-143
 - in regulation of vascular resistance, I-14
 - sodium depletion, hypersecretion of aldosterone during, I-143

F

- False transmitters. *See* Substitute transmitters
- Fellowships, National Heart Institute, II-7
- Flow. *See* Blood flow

G

- Graduate Research Training Grant Programs of the National Heart Institute, II-1-II-44
- Grants, Graduate Research Training Grant Programs of the National Heart Institute, II-1-II-44
- Guanethidine, reflex vasoconstrictor and vasodilator responses in man, I-96

H

- H^3 -d-aldosterone, metabolism and distribution in heart, arteries, and kidney of the dog, I-35
- Heart
 - aldosterone distribution and metabolism in, I-35
 - responses to norepinephrine after prolonged chlorothiazide treatment, I-48

- transplantation to delineate cardiac factor in hypertension, I-86
- Heart rate**, effects of norepinephrine after prolonged chlorothiazide treatment, I-48
- Hydrogen ion**, in regulation of vascular resistance, I-14
- Hyperresponsiveness**, of hypertensive artery, effect of Ca^{++} , I-23
- Hypertension**
 - action of substitute transmitters on antihypertensive drugs, I-120
 - aldosterone secretion and excretion in, I-158
 - cardiac factor in responses in, I-86
 - DCA, effect of Ca^{++} on contractility of small arteries, I-23
 - vascular caliber and blood flow, I-3

I

- Inhibition**
 - of adrenergic activity at locus outside central nervous system, I-55
 - of catecholamine biosynthesis in man, I-104
 - chlorothiazide effects on cardioinhibitory reflexes, I-48
- Intermediate metabolites**, in regulation of vascular resistance, I-14

J

- Juxtaglomerular cells**
 - human cultures, renin production by, I-131
 - hyperactivity with secondary aldosteronism, I-158

K

- Kidney**
 - aldosterone
 - distribution and metabolism in, I-35
 - hypersecretion during sodium depletion, I-143
 - renin production by human juxtaglomerular cells, I-131
- Krebs intermediate metabolites**, in regulation of vascular resistance, I-14

M

- Magnesium**, in regulation of vascular resistance, I-14
- Medulla oblongata**, control of vascular resistance, I-73
- Metabolites**, Krebs intermediate, in regulation of vascular resistance, I-14
- Metaraminol**, as a substitute transmitter, I-120
- Methyldopa**, substitute adrenergic transmitter mechanism, I-120
- α -Methyl-para-L-tyrosine (α -MPT)**, inhibition of catecholamine synthesis in man by, I-104
- Monoamine oxidase inhibitors**, antihypertensive effects mediated by substitute-transmitter mechanism, I-120

N

- National Heart Institute**, Graduate Research Training Grant Programs, II-1-II-44
- Norepinephrine**, circulatory responses after prolonged chlorothiazide treatment, I-48

Circulation Research, Vol. XIX, December 1966

- Nucleotides**, adenine, in regulation of vascular resistance, I-14

O

- Oxygen**, in regulation of vascular resistance, I-14

P

- Phentolamine**, hemodynamic effects with dopamine, I-110
- Pheochromocytoma**, blood pressure reduction by α -MPT inhibition of catecholamine synthesis, I-104
- Pituitary function**, and aldosterone secretion, I-143
- Postdoctoral education**, II-3
- Potassium**, in regulation of vascular resistance, I-14

R

- Reflexes**
 - cardioinhibitory, chlorothiazide effects, I-48
 - electrical activity and changes in vascular resistance, I-73
 - vasoconstrictor and vasodilator responses in man, I-96
- Renin**
 - angiotensin system, in hypersecretion of aldosterone during sodium depletion, I-143
 - plasma levels related to aldosterone secretion in hypertensive disease, I-158
 - production by human juxtaglomerular cells, I-131
- Renin-angiotensin system**, in hypersecretion of aldosterone during sodium depletion, I-143
- Research**, Graduate Research Training Grant Programs of the National Heart Institute, II-1-II-44
- Resistance**
 - vascular
 - chemicals in regulation of, I-14
 - medullary control of, I-73

S

- Sodium depletion**, hypersecretion of aldosterone during, I-143
- Spinal cord**, inhibition of adrenergic activity at locus peripheral to, I-55
- Substitute transmitters**, and mechanism of action of antihypertensive drugs, I-120
- Synthesis**, of catecholamines; inhibition by α -methyl-para-L-tyrosine (α -MPT), I-104

T

- Training grants**, Graduate Research Training Grant Programs of the National Heart Institute, II-1-II-44
- Transmitters**, substitute, and mechanism of action of antihypertensive drugs, I-120
- Transplantation**, cardiac, responses in hypertension, I-86
- Tyrosine hydroxylase inhibitor** (α -methyl-para-L-tyrosine), inhibition of catecholamine synthesis in man by, I-104

U

- Urine**, aldosterone excretion in normal and hypertensive subjects, I-158

V

- Valsalva maneuver, reflex vasoconstrictor and vasodilator responses to, I-96
- Vascular caliber, and blood flow, I-3
- Vascular resistance
chemicals in regulation of, I-14
medullary control of, I-73
- Vasoconstriction, reflex, and vasodilator responses in man, I-96
- Vasodilatation
in forearm of man after stimuli and adrenergic blockade, I-96
and medullary control of vascular resistance, I-73
- Vessels. See Blood vessels

sels]

s in

rgic

3